



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

color, the upper eyelid, always swollen in all lepers, wrinkles and retracts, and should there be tubercles, as is frequent, these disappear.

"The circles under the eyes also retract and lose their vivid color. The nose regains its primitive form, when it has not suffered mutilations, and its mucous membrane recovers its sensitiveness to such an extent that the patients are surprised to be able to smell and can distinguish odors without vacillation.

"In the nervous form (*trofoneo rotica de Leloir*), the first thing observed is the reestablishment of sensitiveness, and then restoration of natural color and the leveling of the spots, but so far the spots have in no case disappeared, but persist in remaining as a stigma of the disease.

"This is what has been observed and recorded in the journals of observation which have been carefully kept. In the communication to the Academy I will give more details.

"Your obedient servant,

JUAN DE D. CARRASQUILLA."

STATISTICAL REPORTS.

BERMUDA.—Two weeks ended January 10, 1896. Estimated population, 15,013. One death. No death from contagious disease.

CUBA—*Habana*.—Under date of January 11, 1896, the United States sanitary inspector reports as follows:

There were 132 deaths in this city during the week ended January 9, 1896.

Three of these deaths were caused by yellow fever, with 7 new cases approximately, 3 were caused by enteric fever, 1 by pernicious fever, 1 by paludal fever, 1 by diphtheria, 4 by enteritis, 1 by dysentery, 2 by smallpox, 5 by pneumonia, and 2 by the grippe; 2 of the 3 deaths by yellow fever during the week occurred in the military hospital.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 33 great towns of England and Wales during the week ended January 4 correspond to an annual rate of 20.7 a thousand of the aggregate population, which is estimated at 10,860,971. The lowest rate was recorded in Croydon, viz, 9.7, and the highest in Salford, viz, 35.9 a thousand.

London.—One thousand seven hundred and seven deaths were registered during the week, including smallpox, 1; measles, 91; scarlet fever, 28; diphtheria, 66; whooping cough, 39; enteric fever, 14; and diarrhea and dysentery, 14. The deaths from all causes corresponded to an annual rate of 20.1 a thousand. In greater London 2,162 deaths were registered, corresponding to an annual rate of 18.3 a thousand of the population. In the "outer ring" the deaths included 14 from diphtheria, 8 from scarlet fever, and 11 from measles.

Ireland.—The average annual death rate represented by the deaths registered during the week ended January 4 in the 16 principal town districts of Ireland was 26.3 a thousand of the population. The lowest rate was recorded in Galway, viz, 3.8, and the highest in Londonderry, viz, 37.7 a thousand. In Dublin and suburbs 193 deaths were registered, including scarlet fever, 2; enteric fever, 3; and whooping cough, 2.

Scotland.—The deaths registered in 8 principal towns during the week ended January 4 corresponded to an annual rate of 21 a thousand of the population, which is estimated at 1,518,347. The lowest mortality

MEXICO—*Vera Cruz*.—Year of 1895. Estimated population, 27,000. Total deaths, 1,412, including 159 from yellow fever.

MORTALITY TABLE, FOREIGN CITIES.

Cities.	Week ended.	Estimated population.	Total deaths from all causes.	Deaths from—								
				Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Aux la Chapelle.....	Dec. 14.....	111,064	42
Do.....	Dec. 21.....	111,064	38	2
Do.....	Dec. 28.....	111,064	47	3
Alexandria.....	Dec. 16.....	231,396	147	1	2
Amapala.....	Dec. 21.....	1,500	0
Amherstburg.....	Jan. 11.....	2,300	0
Amsterdam.....	Jan. 4.....	451,808	159	1	3	5
Antwerp.....	Dec. 28.....	265,062	89	1	2	2
Berlin.....	Dec. 7.....	1,700,000	637	3	16	25	14
Do.....	Dec. 14.....	1,700,000	670	2	22	33	12
Birmingham.....	Jan. 4.....	496,751	221	1	3	9	19	7
Bologna.....	do.....	146,973	71	2
Bombay.....	Dec. 17.....	853,926	450	2	1
Bremen.....	Dec. 14.....	141,937	47	1
Do.....	Dec. 21.....	141,937	28	1
Do.....	Dec. 28.....	141,937	47	1
Brunswick.....	Jan. 4.....	115,000	1	8	4
Brussels.....	Dec. 28.....	507,985	68	3	1
Cairo.....	Dec. 16.....	374,838	391	1	1	5	1	1
Calcutta.....	Dec. 7.....	681,560	682	59	1	2
Cardiff.....	Jan. 4.....	155,637	2
Catania.....	Dec. 31.....	120,000	71	1	1
Chatham.....	Jan. 11.....	9,052	5
Christiania.....	Jan. 4.....	174,717	49
Cienfuegos.....	Jan. 5.....	23,000	19	3
Coaticook.....	Jan. 11.....	2,500	0
Cologne.....	Dec. 14.....	318,742	115	1	2
Do.....	Dec. 21.....	318,742	110	3	4	2	2
Do.....	Dec. 28.....	318,742	1	1	5	1	1
Colombo.....	Nov. 30.....	130,000	94
Do.....	Dec. 7.....	130,000	92
Do.....	Dec. 14.....	130,000	86	1
Dundee.....	Jan. 4.....	160,163	69	2	1
Dusseldorf.....	Dec. 7.....	173,359	52	1	2
Do.....	Dec. 28.....	173,359	56	3
Edinburgh.....	do.....	273,535	87	3	2	2	1	3
Flushing.....	Jan. 6.....	16,200	3	3
Frankfort on the Main.....	Jan. 4.....	182,748	159	1	1
Genoa.....	Dec. 28.....	155,746	71	1	3
Gibraltar.....	Dec. 29.....	25,800	10
Do.....	Jan. 5.....	25,800	9
Gothenburg.....	Dec. 21.....	110,400	29	2	3
Halifax.....	Jan. 11.....	38,700	12
Hamburg.....	Jan. 4.....	608,710	218	1	3	4
Hanover.....	Nov. 16.....	205,000	65
Do.....	Nov. 23.....	205,000	60	1	1
Do.....	Nov. 30.....	205,000	51	1
Honolulu.....	Dec. 21.....	28,000	13	1
Do.....	Dec. 28.....	28,000	17	1
Kehl.....	Dec. 7.....	129,556	39	1	1	4
Do.....	Dec. 14.....	129,556	31	1	1
Do.....	Dec. 21.....	129,556	40
Do.....	Dec. 28.....	129,556	56	1
Kingston.....	Jan. 17.....	17,955	2
Konigsburg.....	Jan. 4.....	171,700	4	1
Leeds.....	do.....	395,546	145	5	8
Leighorn.....	do.....	103,434	44